CONTENTS

Volume 166 No. 1 July 1987

1 LAWRENCE J. WYSOCKI, THOMAS GRIDLEY, SHU HUANG, ANDRES G. GRANDEA, III, and MALCOLM L. GEFTER. Single germline V_H and V_κ genes encode predominating antibody variable regions elicited in strain A mice by immunization with *p*-azophenylarsonate

12 RONALD PALACIOS, MICHAEL KIEFER, MANFRED BROCKHAUS, KLAUS KARJALAINEN, ZLATKO DEMBIĆ, PAWEL KISIELOW, and HARALD VON BOEHMER. Molecular, cellular, and functional properties of bone marrow T lymphocyte progenitor clones

33 SUSAN TREVES, FRANCESCO DI VIRGILIO, VINCENZO CERUNDOLO, PAOLA ZANOVELLO, DINO COLLAVO, and TULLIO POZZAN. Calcium and inositolphosphates in the activation of T cell–mediated cytotoxicity

43 M. J. GLENNIE, H. M. MCBRIDE, F. STIRPE, P. E. THORPE, A. T. WORTH, and G. T. STEVENSON. Emergence of immunoglobulin variants following treatment of a B cell leukemia with an immunotoxin composed of antiidiotypic antibody and saporin

63 TOM TEERLINK, HANNEKE VERSANTVOORT, and E. COEN BEUVERY. Antigenic and immunogenic properties of cyanogen bromide peptides from gonococcal outer membrane protein IB. Evidence for the existence of a surface-exposed conserved epitope.

77 A. C. WEBB, K. L. COLLINS, S. E. SNYDER, S. J. ALEXANDER, L. J. ROSENWASSER, R. L. EDDY, T. B. SHOWS, and P. E. AURON. Human monocyte Arg-Serpin cDNA. Sequence, chromosomal assignment, and homology to plasminogen activator–inhibitor

95 MELANIE J. PALMER and JEFFREY A. FRELINGER. Widespread transcription of a Qa region gene in adult mice

109 DONTSCHO KERJASCHKI, AARO MIETTINEN, and MARILYN GIST FARQUHAR. Initial events in the formation of immune deposits in passive Heymann nephritis. gp330–anti-gp330 immune complexes form in epithelial coated pits and rapidly become attached to the glomerular basement membrane

129 WILLIAM F. OWEN, JR., MARC E. ROTHENBERG, DAVID S. SILBERSTEIN, JUDITH C. GASSON, RICHARD L. STEVENS, K. FRANK AUSTEN, and ROY J. SOBERMAN. Regulation of human eosinophil viability, density, and function by granulocyte/macrophage colony–stimulating factor in the presence of 3T3 fibroblasts

142 ALICE WANG, CHING C. WANG, and JOHN F. ALDERETE. *Trichomonas vaginalis* phenotypic variation occurs only among trichomonads infected with the double-stranded RNA virus

151 KIRAN M. KHANDKE, THOMAS FAIRWELL, and BELUR N. MANJULA. Difference in the structural features of streptococcal M proteins from nephritogenic and rheumatogenic serotypes

163 DAN H. SCHULZE and GARNETT KELSOE. Genotypic analysis of B cell colonies by in situ hybridization. Stoichiometric expression of three V_H families in adult C57BL/6 and BALB/c mice

173 PETER L. SCHWIMMBECK, DAVID T. Y. YU, and MICHAEL B. A. OLDSTONE. Autoantibodies to HLA B27 in the sera of HLA B27 patients with ankylosing spondylitis and Reiter's syndrome. Molecular mimicry with *Klebsiella pneumoniae* as potential mechanism of autoimmune disease

182 KAYO INABA, JAMES W. YOUNG, and RALPH M. STEINMAN. Direct activation of $CD8^+$ cytotoxic T lymphocytes by dendritic cells

195 H. ROBSON MACDONALD, ROSEMARY K. LEES, CLAUDE BRON, BERNARD SORDAT, and GUIDO MIESCHER. T cell antigen receptor expression in athymic (*nu/nu*) mice. Evidence for an oligoclonal β chain repertoire

210 D. A. WILLIAMS, K. HSIEH, A. DESILVA, and R. C. MULLIGAN. Protection of bone marrow transplant recipients from lethal doses of methotrexate by the generation of methotrexate-resistant bone marrow

219 PHILIP W. KANTOFF, ALFRED P. GILLIO, JEANNE R. MCLACHLIN, CLAUDIO BORDIGNON, MARTIN A. EGLITIS, NANCY A. KERNAN, ROBERT C. MOEN, DONALD B. KOHN, SHEAU-FUNG YU, EVELYN KARSON, STEFAN KARLSSON, JAMES A. ZWIEBEL, ELI GILBOA, R. MICHAEL BLAESE, ARTHUR NIENHUIS, RICHARD J. O'REILLY, and W. FRENCH ANDERSON. Expression of human adenosine deaminase in nonhuman primates after retrovirus-mediated gene transfer

235 KATHERINE A. HAJJAR, DAVID P. HAJJAR, ROY L. SILVERSTEIN, and RALPH L. NACHMAN. Tumor necrosis factor–mediated release of platelet-derived growth factor from cultured endothelial cells

246 JAVIER REY-CAMPOS, PABLO RUBENSTEIN, and SANTIAGO RODRIGUEZ DE CORDOBA. Decay-accelerating factor. Genetic polymorphism and linkage to the RCA (regulator of complement activation) gene cluster in humans

BRIEF DEFINITIVE REPORTS

253 ANDRZEJ MACKIEWICZ, MAHRUKH K. GANAPATHI, DEBRA SCHULTZ, and IRVING KUSHNER. Monokines regulate glycosylation of acute-phase proteins

259 PAUL T. MASSA, ROBERT BRINKMANN, and BOLKER TER MEULEN. Inducibility of Ia antigen on astrocytes by murine coronavirus JHM is rat strain dependent

265 PIERRE SANCHEZ and PIERRE-ANDRÉ CAZENAVE. A new variable region in mouse immunoglobulin λ light chains

271 DANIEL B. MAGILAVY, ALFRED D. STEINBERG, AND SARA L. LATTA. High hepatic natural killer cell activity in murine lupus

277 SILVANO FERRINI, CRISTINA BOTTINO, ROBERTO BIASSONI, ALESSANDRO POGGI, RAFICK P. SEKALY, LORENZO MORETTA, AND ALESSANDRO MORETTA. Characterization of $CD3^+$, $CD4^-$, $CD8^-$ clones expressing the putative T cell receptor γ gene product. Analysis of the activation pathways leading to interleukin 2 production and triggering of the lytic machinery

283 RUSSELL D. SALTER, CAROL CLAYBERGER, CATHERINE E. LOMEN, ALAN M. KRENSKY, AND PETER PARHAM. In vitro mutagenesis at a single residue introduces B and T cell epitopes into a class I HLA molecule

289 ULRICH H. KOSZINOWSKI, GÜNTHER M. KEIL, HEINZ SCHWARZ, JÖRG SCHICKEDANZ, and MATTHIAS J. REDDEHASE. A nonstructural polypeptide encoded by immediate-early transcription unit 1 of murine cytomegalovirus is recognized by cytolytic T lymphocytes

295 BERNARD PESTALOZZI, LOTHAR STITZ, AND ROLF M. ZINKERNAGEL. Monoclonal antibodies against viral determinants are not restricted to the K/D end of the major histocompatibility complex

Volume 166 No. 2 August 1987

303 FEDERICO COZZOLINO, MARIA TORCIA, ANNA MARIA CAROSSINO, ROSANNA GIORDANI, CESARE SELLI, GUGLIELMO TALINI, EMANUELE REALI, ANDREA NOVELLI, VITO PISTOIA, and MANLIO FERRARINI. Characterization of cells from invaded lymph nodes in patients with solid tumors. Lymphokine requirement for tumor-specific lymphoproliferative response

319 M. R. ZOCCHI, C. BOTTINO, S. FERRINI, L. MORETTA, and A. MORETTA. A novel 120 kD surface antigen expressed by a subset of human lymphocytes. Evidence that lymphokine-activated killer cells express this molecule and use it in their effector function

327 JEAN-PIERRE ABASTADO, CHRISTIAN JAULIN, MARIE-PAULE SCHUTZE, PIERRE LANGLADE-DEMOYEN, FERNANDO PLATA, KEIKO OZATO, and PHILIPPE KOURILSKY. Fine mapping of epitopes by intradomain K^d/D^d recombinants

341 CATHERINE TRANSY, S. RUSSELL NASH, BRIGITTE DAVID-WATINE, MADELEINE COCHET, STEPHEN W. HUNT, III, LEROY E. HOOD, and PHILIPPE KOURILSKY. A low polymorphic mouse H-2 class I gene from the *T1a* complex is expressed in a broad variety of cell types

362 MANSANORI HATAKEYAMA, TAKESHI DOI, TAKESHI KONO, MITSUO MARUYAMA, SEIJIRO MINAMOTO, HISASHI MORI, MASASHI KOBAYASHI, TAKASHI UCHIYAMA, and TADATSUGA TANIGUCHI. Transmembrane signaling of interleukin 2 receptor. Conformation and function of human interleukin 2 receptor (p55)/insulin receptor chimeric molecules

376 MARIE ROSE VAN SCHRAVENDIJK, ROBERT J. M. WILSON, and CHRISTOPHER I. NEWBOLD. Possible pitfalls in the identification of glycophorin-binding proteins of *Plasmodium falciparum*

391 KATHLEEN A. DENIS, KENNETH DORSHKIND, and OWEN N. WITTE. Regulated progression of B lymphocyte differentiation from cultured fetal liver

404 EDWARD J. FOX, DOROTHY E. LEWIS, KATHLEEN P. DEEMER, MEDHAT N. EL MASRY, and ROBERT R. RICH. T suppressor cell growth factor and anti-CD3 antibodies stimulate reciprocal subsets of T lymphocytes

419 HARRY TOWBIN, GÜNTHER ROSENFELDER, JÖRGEN WIESLANDER, JOSE LUIS AVILA, MIGUEL ROJAS, ANA SZARFMAN, KLAUSS ESSER, HANS NOWACK, and RUPERT TIMPL. Circulating antibodies to mouse laminin in Chagas' disease, American cutaneous leishmaniasis, and normal individuals recognize terminal galactosyl(α1-3)-galactose epitopes

433 BARBARA N. BECK, LARRY R. PEASE, MICHAEL P. BELL, JEAN-MARIE BUERSTEDDE, ALLAN E. NILSON, GEORGE G. SCHLAUDER, and DAVID J. MCKEAN. DNA sequence analysis of I-A^k_β mutants reveals serologically immunodominant region

444 DEIRDRE M. O'SULLIVAN, DANIEL NOONAN, and VITO QUARANTA. Four Ia invariant chain forms derive from a single gene by alternate splicing and alternate initiation of transcription/translation

461 DALE L. GREINER, JOHN P. MORDES, EUGENE S. HANDLER, MARIANNE ANGELILLO, NAOTO NAKAMURA, and ALDO A. ROSSINI. Depletion of RT6.1$^+$ T lymphocytes induces diabetes in resistant Biobreeding/Worcester (BB/W) rats

476 LINDA S. PARK, DELLA FRIEND, HELMUT M. SASSENFELD, and DAVID L. URDAL. Characterization of the human B cell stimulatory factor 1 receptor

489 SHERI SLEZAK, DAVID E. SYMER, and HYUN S. SHIN. Platelet-mediated cytotoxicity. Role of antibody and C3, and localization of the cytotoxic system in membranes

506 MARIAN L. BIRKELAND, LEIGH SIMPSON, PETER C. ISAKSON, and ELLEN PURE. T-independent and T-dependent steps in the murine B cell response to antiimmunoglobulin

520 BRUNO A. KYEWSKI. Seeding of thymic microenvironments defined by distinct thymocyte–stromal cell interactions is developmentally controlled

539 HELEN VLASSARA, JAY VALINSKY, MICHAEL BROWNLEE, CARLA CERAMI, SHIGEKI NISHIMOTO, and ANTHONY CERAMI. Advanced glycosylation endproducts on erythrocyte cell surface induce receptor-mediated phagocytosis by macrophages. A model for turnover of aging cells

550 MARIANNA M. NEWKIRK, RIZGAR A. MAGEED, ROY JEFFERIS, POJEN P. CHEN, and J. DONALD CAPRA. Complete amino acid sequences of variable regions of two human IgM rheumatoid factors, BOR and KAS of the Wa idiotypic family, reveal restricted use of heavy and light chain variable and joining region gene segments

BRIEF DEFINITIVE REPORTS

565 SALLY T. ISHIZAKA and FRANK LILLY. Genetically determined resistance to 3-methylcholanthrene-induced lymphoma is expressed at the level of bone marrow–derived cells

571 TERJE ESPEVIK, IRENE S. FIGARI, M. REFAAT SHALABY, GREGORY A. LACKIDES, GAIL D. LEWIS, H. MICHAEL SHEPARD, and MICHAEL A. PALLADINO, JR. Inhibition of cytokine production by cyclosporin A and transforming growth factor β

577 RALPH C. BUDD, GUIDO C. MIESCHER, RAWLEIGH C. HOWE, ROSEMARY K. LEES, CLAUDE BRON, and H. ROBSON MACDONALD. Developmentally regulated expression of T cell receptor β chain variable domains in immature thymocytes

583 PENELOPE A. MOREL, ALEXANDRA M. LIVINGSTONE, and C. GARRISON FATHMAN. Correlation of the T cell receptor V_β gene family with MHC restriction

589 INMACULADA ESPARZA, DANIELA MÄNNEL, ANDREAS RUPPEL, WERNER FALK, and PETER KRAMMER. Interferon γ and lymphotoxin or tumor necrosis factor act synergistically to induce macrophage killing of tumor cells and schistosomula of *Schistosoma mansoni*

595 FRITS KONING, W. LEE MALOY, DAVID COHEN, and JOHN E. COLIGAN. Independent association of T cell receptor β and γ chains with CD3 in the same cell

601 H. ALEXANDER WILSON, DAVID GREENBLATT, MARTIN POENIE, FRED D. FINKELMAN, and ROGER Y. TSIEN. Crosslinkage of B lymphocyte surface immunoglobulin by anti-Ig or antigen induces prolonged oscillation of intracellular ionized calcium

607 HARUO SUGIYAMA, TOYOKI MAEDA, YOSHIHIKO TANI, SEIGOU MIYAKE, YOSHIHIRO OKA, TOSHIHISA KOMORI, HIROYASU OGAWA, TOSHIHIRO SOMA, YUSAKU MINAMI, NOBUO SAKATO, and SUSMU KISHIMOTO. Selective use of the V_HQ52 family in functional V_H to DJ_H rearrangements in a B precursor cell line

613 PAUL R. CROCKER, WILFRED A. JEFFERIES, STEPHANIE J. CLARK, L. PING CHUNG, and SIAMON GORDON. Species heterogeneity in macrophage expression of the CD4 antigen

619 GIUSEPPE PANTALEO, DANIEL OLIVE, ALESSANDRO POGGI, TULLIO POZZAN, LORENZO MORETTA, and ALESSANDRO MORETTA. Antibody-induced modulation of the CD3/T cell receptor complex causes T cell refractoriness by inhibiting the early metabolic steps involved in T cell activation

Volume 166 No. 3 September 1987

625 YAO WANG, ANNE S. LARSEN, and B. MATIJA PETERLIN. A tissue-specific transcriptional enhancer is found in the body of the HLA-DRα gene

637 MARY HELLER, JAMES D. OWENS, J. FREDERIC MUSHINSKI, and STUART RUDIKOFF. Amino acids at the site of V_κ-J_κ recombination not encoded by germline sequences

647 EDWIN H. BEACHEY, JEROME M. SEYER, and JAMES B. DALE. Protective immunogenicity and T lymphocyte specificity of a trivalent hybrid peptide containing NH_2-terminal sequences of types 5, 6, and 24 M proteins synthesized in tandem

657 SEAN E. HARPER, JIRAYR R. ROUBINIAN, and WILLIAM E. SEAMAN. Regulation of autoimmunity and donor cell engraftment by recipient Lyt-2^+ cells during the graft-versus-host reaction

668 HANSJÜRGEN VOLKMER, CHRISTINE BERTHOLET, STIPAN JONJIĆ, RICCARDO WITTEK, and ULRICH H. KOSZINOWSKI. Cytolytic T lymphocyte recognition of the murine cytomegalovirus nonstructural immediate-early protein pp89 expressed by recombinant vaccinia virus

678 T. J. BRACIALE, V. L. BRACIALE, M. WINKLER, I. STROYNOWSKI, L. HOOD, J. SAMBROOK, and M.-J. GETHING. On the role of the transmembrane anchor sequence of influenza hemagglutinin in target cell recognition by class I MHC-restricted, hemagglutinin-specific cytolytic T lymphocytes

693 KEITH G. GOULD, HILARY SCOTNEY, ALAIN R. M. TOWNSEND, JUDY BASTIN, and GEORGE G. BROWNLEE. Mouse H-2^k-restricted cytotoxic T cells recognize antigenic determinants in both the HA1 and HA2 subunits of the influenza A/PR/8/34 hemagglutinin

702 INA R. OPPLIGER, FRANCIS A. NARDELLA, GIANCARLO C. STONE, and MART MANNIK. Human rheumatoid factors bear the internal image of the Fc binding region of staphylococcal protein A

711 SUZANNE FISH and TIM MANSER. Influence of the macromolecular form of a B cell epitope on the expression of antibody variable and constant region structure

725 HAJIME TAKAYAMA and MICHAEL V. SITKOVSKY. Antigen receptor–regulated exocytosis in cytotoxic T lymphocytes

744 DAVID KOELLER, RONALD LIEBERMAN, JUN-ICHI MIYAZAKI, ETTORE APPELLA, KEIKO OZATO, DONALD W. MANN, and JAMES FORMAN. Introduction of H-$2D^d$ determinants into the H-$2L^d$ antigen by site-directed mutagenesis

761 TULLIA LINDSTEN, B. J. FOWLKES, LAWRENCE E. SAMELSON, MARK M. DAVIS, and YUEH-HSIU CHIEN. Transient rearrangements of the T cell antigen receptor α locus in early thymocytes

776 MARGARET E. NICHOLS, PABLO RUBENSTEIN, JOHN BARNWELL, SANTIAGO RODRIGUEZ DE CORDOBA, and RICHARD E. ROSENFIELD. A new human Duffy blood group specificity defined by a murine monoclonal antibody. Immunogenetics and association with susceptibility to *Plasmodium vivax*

BRIEF DEFINITIVE REPORTS

786 JOHN H. KEHRL, AUBREY MILLER, and ANTHONY S. FAUCI. Effect of tumor necrosis factor α on mitogen-activated human B cells

792 JAMES J. MULÉ, CRAIG A. SMITH, and STEVEN A. ROSENBERG. Interleukin 4 (B cell stimulatory factor 1) can mediate the induction of lymphokine-activated killer cell activity directed against fresh tumor cells

798 CHAIM O. JACOB, P. H. VAN DER MEIDE, and HUGH O. MCDEVITT. In vivo treatment of (NZB × NZW)F_1 lupus-like nephritis with monoclonal antibody to γ interferon

804 ANTONIO DE LA HERA, MIGUEL A. R. MARCOS, MARIA LUISA TORIBIO, CARLOS MARQUEZ, MARIA LUISA GASPAR, and CARLOS MARTINEZ-A. Development of Ly-1^+ B cells in immunodeficient CBA/N mice

810 YAEL KAUFMANN, TOBY SILVERMAN, BEN-ZION LEVI, and KEIKO OZATO. Induction of c-*ets* and c-*fos* gene expression upon antigenic stimulation of a T cell hybridoma with inducible cytolytic capacity

816 PHILIP J. ROSENTHAL, KAMI KIM, JAMES H. MCKERROW, and JAMES H. LEECH. Identification of three stage-specific proteinases of *Plasmodium falciparum*

Volume 166 No. 4 October 1987

823 A. BENDELAC, C. CARNAUD, C. BOITARD, and J. F. BACH. Syngeneic transfer of autoimmune diabetes from diabetic NOD mice to healthy neonates. Requirement for both L3T4$^+$ and Lyt-2$^+$ T cells

833 MASAKAZU HATTORI, TETSUO SUDO, MASAHIKO IIZUKA, SHIGEYASU KOBAYASHI, SHINTARO NISHIO, SHOGO KANO, and NAGAHIRO MINATO. Generation of continuous large granular lymphocyte lines by interleukin 2 from the spleen cells of mice infected with Moloney leukemia virus. Involvement of interleukin 3

850 ROBERT M. BENNETT, BRIAN L. KOTZIN, and MARCIE J. MERRITT. DNA receptor dysfunction in systemic lupus erythematosus and kindred disorders. Induction by anti-DNA antibodies, antihistone antibodies, and antireceptor antibodies

864 ROBERT E. FLAHART and ALEXANDER R. LAWTON. Mechanism of suppression of lipopolysaccharide-driven B cell differentiation by anti-μ antibodies. Evidence for a *trans*-acting repressor of transcription

874 CHARLES HANNUM, PHILIPPA MARRACK, RALPH KUBO, and JOHN KAPPLER. Thymocytes with the predicted properties of pre-T cells

890 MASAAKI MIYAZAWA, MASATO NOSE, MASAJI KAWASHIMA, and MASAHISA KYOGOKU. Pathogenesis of arteritis of SL/Ni mice. Possible lytic effect of anti-gp70 antibodies on vascular smooth muscle cells

909 W. SLUITER, E. HULSING-HESSELINK, I. ELZENGA-CLAASEN, L. W. M. VAN HEMSBERGEN-OOMENS, A. VAN DER VOORT VAN DER KLEIJ-VAN ANDEL, and R. VAN FURTH. Macrophages as origin of factor increasing monocytopoiesis

923 BARBARA P. WALLNER, ALEXIS Z. FREY, RICHARD TIZARD, ROBERT J. MATTALIANO, CATHERINE HESSION, MARTIN E. SANDERS, MICHAEL L. DUSTIN, and TIMOTHY A. SPRINGER. Primary structure of lymphocyte function–associated antigen 3 (LFA-3). The ligand of the T lymphocyte CD2 glycoprotein

933 P. D'ARCY HART, M. R. YOUNG, A. H. GORDON, and K. H. SULLIVAN. Inhibition of phagosome-lysosome fusion in macrophages by certain mycobacteria can be explained by inhibition of lysosomal movements observed after phagocytosis

947 LEORA S. ZALMAN, LORRAINE M. WOOD, and HANS J. MÜLLER-EBERHARD. Inhibition of antibody-dependent lymphocyte cytotoxicity by a homologous restriction factor incorporated into target cell membranes

956 TERRY A. POTTER, JEFFREY A. BLUESTONE, and T. V. RAJAN. A single amino acid substitution in the α3 domain of an H-2 class I molecule abrogates reactivity with cytotoxic T lymphocytes

967 TETSUYA TAGA, YOSHIKAZU KAWANISHI, RICHARD R. HARDY, TOSHIO HIRANO, TADAMITSU KISHIMOTO. Receptors for B cell stimulatory factor 2. Quantitation, specificity, distribution, and regulation of their expression

982 TAKERU ICHIKAWA, EIICHI NAKAYAMA, AKIKO UENAKA, MORITO MONDEN, and TAKESADA MORI. Effector cells in allelic H-2 class I–incompatible skin graft rejection

991 GERALD E. RANGES, IRENE S. FIGARI, TERJE ESPEVIK, and MICHAEL A. PALLADINO, JR. Inhibition of cytotoxic T cell development by transforming growth factor β and reversal by recombinant tumor necrosis factor α

999 ICHIRO KURANE and FRANCIS A. ENNIS. Induction of interferon α from human lymphocytes by autologous, Dengue virus–infected monocytes

1011 PARIASAMY SELVARAJ, MICHAEL L. DUSTIN, ROBERT SILBER, MARTIN G. LOW, and TIMOTHY A. SPRINGER. Deficiency of lymphocyte function–associated antigen 3 (LFA-3) in paroxysmal noctural hemoglobinuria. Functional correlates and evidence for a phosphatidylinositol membrane anchor

1026 KATSUYUKI YUI, YASUHIRO HASHIMOTO, SCOTT WADSWORTH, and MARK I. GREENE. Characterization of Lyt-2$^-$, L3T4$^-$ class I–specific cytolytic clones in C3h-*gld/gld* mice. Implications for functions of accessory molecules and programmed development

1041 CHARLOTTE BARBEY-MOREL, JOHN A. PIERCE, EDWARD J. CAMPBELL, and DAVID H. PERLMUTTER. Lipopolysaccharide modulates the expression of α1 proteinase inhibitor and other serine proteinase inhibitors in human monocytes and macrophages

1055 HUEY-MEI WANG and KENDALL A. SMITH. The interleukin 2 receptor. Functional consequences of its bimolecular structure

1070 ANN BLAKELY, KEVEN GORMAN, HANNE OSTERGAARD, KATHY SVOBODA, CHAU-CHING LIU, JOHN DING-E YOUNG, and WILLIAM R. CLARK. Resistance of cloned cytotoxic T lymphocytes to cell-mediated cytotoxicity

1084 ANDREW D. LUSTER and JEFFREY V. RAVETCH. Biochemical characterization of a γ interferon–inducible cytokine (IP-10)

1098 GILLA KAPLAN, ANDREW D. LUSTER, GERALD HANCOCK, and ZANVIL A. COHN. The expression of a γ interferon–induced protein (IP-10) in delayed immune responses in human skin

1109 MARC MONESTIER, BEATRICE BONIN, PAOLA MIGLIORINI, HOWARD DANG, SYAMAL DATTA, RUDOLF KUPPERS, NOEL ROSE, PAUL MAURER, NORMAL TALAL, and CONSTANTIN BONA. Autoantibodies of various specificities encoded by genes from the V_H J558 family bind to foreign antigens and share idiotopes of antibodies specific for self and foreign antigens

1125 ROBERT F. BARGATZE, NORA W. WU, IRVING L. WEISSMAN, and EUGENE C. BUTCHER. High endothelial venule binding as a predictor of the dissemination of passaged murine lymphomas

BRIEF DEFINITIVE REPORTS

1132 C. P. J. MAURY and A.-M. TEPPO. Raised serum levels of cachectin/tumor necrosis factor α in renal allograft rejection

1138 V. HUGH PERRY and SIAMON GORDON. Modulation of CD4 antigen on macrophages and microglia in rat brain

1144 DOUGLAS D. RICHMAN, RICHARD S. KORNBLUTH, and DENNIS A. CARSON. Failure of dideoxynucleosides to inhibit human immunodeficiency virus replication in cultured human macrophages

1150 RYO ABE, JOHN J. RYAN, RICHARD J. HODES. Mls is not a single gene, allelic system. Different stimulatory Mls determinants are the products of at least two nonallelic, unlinked genes

1156 JOHN W. LOWENTHAL and WARNER C. GREENE. Contrasting interleukin 2 binding properties of the α (p55) and β (p70) protein subunits of the human high-affinity interleukin 2 receptor

1162 KRISTIN L. KOMSCHLIES, DALE L. GREINER, LEONARD SHULTZ, and IRVING GOLDSCHNEIDER. Defective lymphopoiesis in the bone marrow of motheaten (*me/me*) and viable motheaten (me^v/me^v) mutant mice. III. Normal mouse bone marrow cells enable me^v/me^v prothymocytes to generate thymocytes after intravenous transfer

1168 BIRGIT HERTEL-WULFF, TULLIA LINDSTEN, RONALD SCHWADRON, DAVID M. GILBERT, MARK M. DAVIS, and SAMUEL STROBER. Rearrangement and expression of T cell receptor genes in cloned murine natural suppressor cell lines

1174 EDWARD H. LEITER. Murine macrophages and pancreatic β cells. Chemotactic properties of insulin and β cytostatic action of interleukin 1

1180 J. F. M. LEEUWENBERG, J. VAN DAMME, G. M. A. A. JEUNHOMME, and W. A. BUURMAN. Interferon β1, an intermediate in the tumor necrosis factor α–induced increased MHC class I expression and an autocrine regulator of the constitutive MHC class I expression

1186 WAYNE G. HASER, HARUO SAITO, TAKUMI KOYAMA, and SUSUMU TONEGAWA. Cloning and sequencing of murine T3 γ cDNA from a subtractive cDNA library

1192 SETSUKO JITSUKAWA, FLORENCE FAURE, MARC LIPINSKI, FRÉDÉRIC TRIEBEL, and THIERRY HERCEND. A novel subset of human lymphocytes with a T cell receptor–γ complex

1198 DOUGLAS A. JABS and ROBERT A. PRENDERGAST. Reactive lymphocytes in lacrimal gland and vasculitic renal lesions of autoimmune MRL/*lpr* mice express L3T4

Volume 166 No. 5 November 1, 1987

1205 T. J. M. RUERS, W. A. BUURMAN, C. J. VAN BOXTEL, C. J. VAN DER LINDEN, and G. KOOTSTRA. Immunohistological observations in rat kidney allografts after local steroid administration

1221 TEIZO FUJITA, TOSHIYA INOUE, KIYOKO OGAWA, KYOKO IIDA, AND NOBORU TAMURA. The mechanism of action of decay-accelerating factor (DAF). DAF inhibits the assembly of C3 convertases by dissociating C2a and Bb

1229 HOLLY M. CHERWINSKI, JODI H. SCHUMACHER, KEITH D. BROWN, and TIM R. MOSMANN. Two types of mouse helper T cell clone. III. Further differences in lymphokine synthesis between Th1 and Th2 clones revealed by RNA hybridization, functionally monospecific bioassays, and monoclonal antibodies

1245 JUKKA PELKONEN, PASCHALIS SIDERAS, HANS-GEORG RAMMENSEE, KLAUS KARJALAINEN, and RONALD PALACIOS. Thymocyte clones from 14-day mouse embryos. I. State of T cell receptor genes, surface markers, and growth requirements

1259 ANJANEYULU KOWLURU, RENU KOWLURU, MARK W. BITENSKY, ELIZABETH J. CORWIN, SIDNEY S. SOLOMON, and JOHN D. JOHNSON. Suggested mechanism for the selective excretion of glucosylated albumin. The effects of diabetes mellitus and aging on this process and the origins of diabetic microalbuminuria

1280 PIERRE-FRANÇOIS PIGUET, GEORGES E. GRAU, BERNARD ALLET, and PIERRE VASSALI. Tumor necrosis factor/cachectin is an effector of skin and gut lesions of the acute phase of the graft-vs.-host disease

1290 GRACE LEE, LARRY R. ELLINGSWORTH, STEVEN GILLIS, RANDOLPH WALL, and PAUL W. KINCADE. β transforming factors are potential regulators of β lymphopoiesis

1300 DAVID C. HELFGOTT, LESTER T. MAY, ZEV STHOEGER, IGOR TAMM, and PRAVINKUMAR B. SEHGAL. Bacterial lipopolysaccharide (endotoxin) enhances expression and secretion of β_2 interferon by human fibroblasts

1310 MARCUS A. HORWITZ. Characterization of avirulent mutant *Legionella pneumophila* that survive but do not multiply within human monocytes

1329 JAMES A. BARBOSA, JESUS SANTOS-AGUADO, STEVEN J. MENTZER, JACK L. STROMINGER, STEVEN J. BURAKOFF, and P. ANDREW BIRO. Site-directed mutagenesis of class I HLA genes. Role of glycosylation in surface expression and functional recognition

1351 MARIANNE BRÜGGEMANN, GARETH T. WILLIAMS, CAROL I. BINDON, MICHAEL R. CLARK, MATTHEW R. WALKER, ROY JEFFERIS, HERMAN WALDMANN, and MICHAEL S. NEUBERGER. Comparison of the effector functions of human immunoglobulins using a matched set of chimeric antibodies

1362 KIYOSHI H. TAKEUCHI, MICHAEL P. MCGARRY, and RICHARD T. SWANK. Elastase and cathepsin G activities are present in immature bone marrow neutrophils and absent in late marrow and circulating neutrophils of beige (Chediak-Higashi) mice

1377 NATHANIEL R. PAYNE and MARCUS A. HORWITZ. Phagocytosis of *Legionella pneumophila* is mediated by human monocyte complement receptors

1390 GIOVANNI CAMUSSI, FEDERICO BUSSOLINO, GENNARO SALVIDIO, and CORRADO BAGLIONI. Tumor necrosis factor/cachectin stimulates peritoneal macrophages, polymorphonuclear neutrophils, and vascular endothelial cells to synthesize and release platelet-activating factor

1405 DEBORAH A. LEBMAN, PATRICIA M. GRIFFIN, and JOHN J. CEBRA. Relationship between expression of IgA by Peyer's patch cells and functional IgA memory cells

1419 LUCILLE LONDON and JOHN P. MCKEARN. Activation and growth of colony-stimulating factor–dependent cell lines is cell cycle stage dependent

1436 WEISHUI Y. WEISER, ANTHONY VAN NIEL, STEVEN C. CLARK, JOHN R. DAVID, and HEINZ G. REMOLD. Recombinant human granulocyte/macrophage colony–stimulating factor activates intracellular killing of *Leishmania donovani* by human monocyte–derived macrophages

1447 MICHAEL B. WIDMER, R. BRUCE ACRES, HELMUT M. SASSENFELD, and KENNETH H. GRABSTEIN. Regulation of cytolytic cell populations from human peripheral blood by B cell stimulatory factor 1 (interleukin 4)

1456 TIM MANSER, BEHNAZ PARHAMI-SEREN, MICHAEL N. MARGOLIES, and MALCOLM L. GEFTER. Somatically mutated forms of a major anti-*p*-azophenylarsonate antibody variable region with drastically reduced affinity for *p*-azophenylarsonate. By-products of an antigen-driven immune response?

1464 JOHN D. PFEIFER, DOUGLAS T. MCKENZIE, SUSAN L. SWAIN, and RICHARD W. DUTTON. B cell stimulatory factor 1 (interleukin 4) is sufficient for the proliferation and differentiation of lectin-stimulated cytolytic T lymphocyte precursors

1471 LLOYD MAYER and ROBERT SHLIEN. Evidence for function of Ia molecules on gut epithelial cells in man

1484 MARGIT D. WITMER-PACK, WENDY OLIVIER, JAY VALINSKY, GEROLD SCHULER, and RALPH M. STEINMAN. Granulocyte/macrophage colony–stimulating factor is essential for the viability and function of cultured murine epidermal Langerhans cells

1499 WILLIAM J. MURPHY, VINAY KUMAR, and MICHAEL BENNETT. Acute rejection of murine bone marrow allografts by natural killer cells and T cells. Differences in kinetics and target antigens recognized

1510 SHOUSUN CHEN SZU, AUDREY L. STONE, JOAN D. ROBBINS, RACHEL SCHNEERSON, and JOHN B. ROBBINS. Vi capsular polysaccharide–protein conjugates for prevention of typhoid fever. Preparation, characterization, and immunogenicity in laboratory animals

1525 TERRY A. MCNEARNEY, CHRISTINE ODELL, V. MICHAEL HOLERS, PATRICIA G. SPEAR, and JOHN P. ATKINSON. Herpes simplex virus glycoproteins gC-1 and gC-2 bind to the third component of complement and provide protection against complement-mediated neutralization of viral infectivity

1536 C. REYNOLD VERRET, ANTOINE A. FIRMENICH, DAVID M. KRANZ, and HERMAN N. EISEN. Resistance of cytotoxic T lymphocytes to the lytic effects of their toxic granules

1548 MICHEL STREULI, LAURIE R. HALL, YUMIKO SAGA, STUART F. SCHLOSSMAN, and HARUO SAITO. Differential usage of three exons generates at least five different mRNAs encoding human leukocyte common antigens

BRIEF DEFINITIVE REPORTS

1567 MICHEL STREULI, TAKAMI MATSUYAMA, CHIKAO MORIMOTO, STUART F. SCHLOSSMAN, and HARUO SAITO. Identification of the sequence required for expression of the 2H4 epitope on the human leukocyte common antigens

1573 DEEPAK M. SAHASRABUDHE. Inhibition of suppressor T lymphocytes by murine interferon β

1579 JOSEPH H. PHILLIPS, ARTHUR WEISS, BRETT T. GEMLO, ANTHONY A. RAYNER, and LEWIS L. LANIER. Evidence that the T cell antigen receptor may not be involved in cytotoxicity mediated by γ/δ and α/β thymic cell lines

1585 M. F. SELDIN, J. CONROY, A. D. STEINBERG, L. A. D'HOOSTELEARE, and E. S. RAVECHE. Clonal expansion of abnormal B cells in old NZB mice

1591 FIDEL ZAVALA, JAMES P. TAM, PHILIP J. BARR, PEDRO J. ROMERO, VICTORIA LEY, RUTH S. NUSSENZWEIG, and VICTOR NUSSENZWEIG. Synthetic peptide vaccine confers protection against murine malaria

1597 KENJI SAKAI, TOSHIO HATTORI, MASAO MATSUOKA, NORIO ASOU, SEIKO YAMAMOTO, KIMITAKA SAGAWA, and KIYOSHI TAKATSUKI. Autocrine stimulation of interleukin 1β in acute myelogenous leukemia cells

1603 DAVID J. PATERSON and ALAN F. WILLIAMS. An intermediate cell in thymocyte differentiation that expresses CD8 but not CD4 antigen

1609 CORRECTION

Volume 166 No. 6 December 1, 1987

1613 YOSHIHIRO ASANO, TOSHINORI NAKAYAMA, MASATO KUBO, JUNJI YAGI, and TOMIO TADA. Epitopes associated with MHC restriction site of T cells. III. I-J epitope on MHC-restricted T helper cells

1627 EDWARD K. L. CHAN and ENG M. TAN. Human autoantibody-reactive epitopes of SS-B/La are highly conserved in comparison with epitopes recognized by murine monoclonal antibodies

1641 DOROTHY F. BAINTON, LINDA J. MILLER, T. K. KISHIMOTO, and TIMOTHY A. SPRINGER. Leukocyte adhesion receptors are stored in peroxidase-negative granules of human neutrophils

1654 STEVEN E. MACATONIA, STELLA C. KNIGHT, ANDREW J. EDWARDS, STEPHEN GRIFFITHS, and PATRICIA FRYER. Localization of antigen on lymph node dendritic cells after exposure to the contact sensitizer fluorescein isothiocyanate. Functional and morphological studies

1668 SUSAN G. STUART, MARY L. TROUNSTINE, DAVID J. T. VAUX, TERRY KOCH, CHRISTINE L. MARTENS, IRA MELLMAN, and KEVIN W. MOORE. Isolation and expression of cDNA clones encoding a human receptor for IgG (FcγRII)

1685 HUGH ROSEN and SIAMON GORDON. Monoclonal antibody to the murine type 3 complement receptor inhibits adhesion of myelomonocytic cells in vitro and inflammatory cell recruitment in vivo

1702 JEFFREY N. SIEGEL, C. ALEXANDER TURNER, DENNIS M. KLINMAN, MILES WILKINSON, ALFRED D. STEINBERG, CAROL L. MACLEOD, WILLIAM E. PAUL, MARK M. DAVIS, and DAVID I. COHEN. Sequence analysis and expression of an X-linked lymphocyte-regulated gene family (XLR)

1716 JEFFREY S. WEBER, GILBERT JAY, KENICHI TANAKA, and STEVEN A. ROSENBERG. Immunotherapy of a murine tumor with interleukin 2. Increased sensitivity after MHC class I gene transfection

1734 STEVEN G. REED, CARL F. NATHAN, DEANNA L. PIHL, PAUL RODRICKS, KURT SHANEBECK, PAUL J. CONLON, and KENNETH H. GRABSTEIN. Recombinant granulocyte/macrophage colony-stimulating factor activates macrophages to inhibit *Trypanosoma cruzi* and release hydrogen peroxide. Comparison with interferon γ

1747 SHELDON E. RATNOFSKY, ANDREW PETERSON, JULIA L. GREENSTEIN, and STEVEN J. BURAKOFF. Expression and function of CD8 in a murine T cell hybridoma

1758 CHRISTOPHER E. RUDD, CHIKAO MORIMOTO, LINDA L. WONG, and STUART F. SCHLOSSMAN. The subdivision of the T4 (CD4) subset on the basis of the differential expression of L-C/T200 antigens

1774 EVELYN A. KURT-JONES, SCOTT HAMBERG, JUNICHI OHARA, WILLIAM E. PAUL, and ABUL K. ABBAS. Heterogeneity of helper/inducer T lymphocytes. I. Lymphokine production and lymphokine responsiveness

1788 RAINER UNGLAUB, BEATE MAXEINER, BETTINA THOMA, KLAUS P1798NMAIER, and PETER SCHEURICH. Downregulation of tumor necrosis factor (TNF) sensitivity via modulation of TNF binding capacity by protein kinase C activators

1798 JANE E. SALMON, SANDIP KAPUR, and ROBERT P. KIMBERLY. Opsonin-independent ligation of Fcγ receptors. The 3G8-bearing receptors on neutrophils mediate the phagocytosis of concanavalin A–treated erythrocytes and nonopsonized *Escherichia coli*

1814 ANNE E. WALLIS and W. R. MCMASTER. Identification of *Leishmania* genes encoding proteins containing tandemly repeating peptides

1825 JAMES B. DALE and EDWIN H. BEACHEY. Human cytotoxic T lymphocytes evoked by group A streptococcal M proteins

1836 JEFFREY I. WEITZ, ADA J. HUANG, SHARON L. LANDMAN, SUSAN C. NICHOLSON, and SAMUEL C. SILVERSTEIN. Elastase-mediated fibrinogenolysis by chemoattractant-stimulated neutrophils occurs in the presence of physiologic concentrations of antiproteinases

1851 DANIELE CARACCIOLO, NEELAM SHIRSAT, GORDON G. WONG, BEVERLY LANGE, STEVEN CLARK, and GIOVANNI ROVERA. Recombinant human macrophage colony-stimulating factor (M-CSF) requires subliminal concentrations of granulocyte/macrophage (GM)-CSF for optimal stimulation of human macrophage colony formation in vitro

1861 AMAL KANBOUR, HONG-NERNG HO, DHIRENDRA N. MISRA, TREVOR A. MACPHERSON, HEINZ W. KUNZ, and THOMAS J. GILL, III. Differential expression of MHC class I antigens on the placenta of the rat. A mechanism for the survival of the fetal allograft

1883 MIRIAM LIEBERMAN, GUN A. HANSTEEN, JOSEPH M. MCCUNE, MARTIN L. SCOTT, JAMES H. WHITE, and IRVING L. WEISSMAN. Indirect induction of radiation lymphomas in mice. Evidence for a novel, transmissible leukemogen

BRIEF DEFINITIVE REPORTS

1894 JOHN DING E. YOUNG, W. R. CLARK, C. C. LIU, and ZANVIL A. COHN. A calcium- and perforin-independent pathway of killing mediated by murine cytolytic lymphocytes

1900 P. P. CHEN, D. L. ROBBINS, F. R. JIRIK, T. J. KIPPS, and D. A. CARSON. Isolation and characterization of a light chain variable region gene for human rheumatoid factors

1906 D. J. HINRICHS, K. W. WEGMANN, and G. N. DIETSCH. Transfer of experimental allergic encephalomyelitis to bone marrow chimeras. Endothelial cells are not a restricting element

1912 A. H. WARFEL, D. ZUCKER-FRANKLIN, B. FRANGIONE, and J. GHISO. Constitutive secretion of cystatin C (γ-trace) by monocytes and macrophages and its downregulation after stimulation

1919 AUTHOR INDEX TO VOLUME 166.